J. Electroanal. Chem., 263 (1989) 427
Elsevier Sequoia S.A., Lausanne – Printed in The Netherlands

Author index

Adzic, G.D. 421
Allred, C. 163
Aoki, K. 323
Armand, D. 109

Bakos, I. 137
Barbero, C. 333
Boguslavsky, L.I. 373
Bond, A.M. 1

Christensen, P.A. 37, 59
Cipriano, C. 313
Clavilier, J. 109
Colyer, C.L. 1
Cyr, A. 49

Daschbach, J. 189, 205, 225
Denuault, G. 225
Dong, S. 79
Dryhurst, G. 353
Du, S. 399

Faulkner, L.R. 237
Fleischmann, M. 189, 205, 225
Fritsch-Faules, I. 237
Furuya, N. 97, 171

Galvez, J. 257, 269, 293
Garnier, F. 155
Gugeshashvili, M.I. 373

Hamnett, A. 59
Hannisdal, A. 23
Hugot-Le Goff, A. 127
Hutzenlaub, W. 353

Iwasita, T. 37

Jang, G.-W. 383
Joiret, S. 127

Kaneko, H. 323

Laviron, E. 49
Lessard, J. 49
Li, H.S. 155

McCreery, R. 163
Mallát, T. 137
Meier, R. 177
Motoo, S. 97
Myland, J.C. 1

Nagy, F. 137
Negishi, A. 323
Nguyen, N.T. 353
Nikitas, P. 147
Nishihara, C. 415
Nishina, T. 87
Novák, P. 37
Nozaki, K. 323

Okamoto, T. 323
Oldham, K.B. 1

Park, S.-M. 257, 269, 293
Pfleiderer, W. 353
Pletcher, D. 225
Pons, S. 189, 205, 225

Rajeshwar, K. 383
Rice, R. 163
Roncali, J. 155

Saïdani, B. 127
Scherson, D.A. 421
Schrøder, K.H. 23
Sereno, L. 333
Shibata, M. 97
Shindo, H. 415
Silber, J.J. 333
Su, M. 399
Subramanian, P. 353
Szabó, S. 137

Takizawa, T. 87
Tang, D. 399
Toma, H.E. 313
Tsai, E.W. 383

Uchida, I. 87

Vielstich, W. 37

Watanabe, M. 97
Wiart, R. 127

Yoshiba, H. 171

Zhu, Y. 79
Zing, C.A. 399
Zoski, C.G. 1

J. Electroanal. Chem., 263 (1989) 428–432
Elsevier Sequoia S.A., Lausanne – Printed in The Netherlands

Subject index

Adsorbed layer thickness,
thermodynamic method for the determination of the ——— and the size ratio parameter (Nikitas) 147
Amalgam voltammetry,
amalgam voltammetric approach to heavy metal speciation in natural waters. Part II. Experimental verification of theoretical aspects. A study of complexation with lead ions (Hannisdal, Schrøder) 23
ortho-Aminophenol,
formation of a novel electroactive film by electropolymerization of ———. Study of its chemical structure and formation mechanism. Electropolymerization of analogous compounds (Barbero et al.) 333
Ammonia,
electroreduction of nitrogen to ——— on gas diffusion electrodes modified by Fe-phthalocyanine (Furuya, Yoshiba) 171

Bismuth,
electrocatalysis by ad-atoms. Part XXIV. Effect of arrangement of ——— ad-atoms on formic acid oxidation (Shibata et al.) 97
Brilliant Cresyl Blue,
study on the electrode process of ——— by optically transparent thin-layer spectroelectrochemistry (Dong, Zhu) 79

Carbonate,
electrochemical characterization of in situ NiO formation in a molten ——— (Nishina et al.) 87
CE catalytic reactions,
behavior of microdisk and microring electrodes. Prediction of the chronoamperometric response of microdisks and of the steady state for ——— and EC catalytic reactions by application of Neumann's integral theorem (Fleishmann et al.) 225
Charge storage and transport,
——— in thermal ruthenium oxide thin films. In situ detection of local pH changes and asymmetries in charge–discharge cycles at the oxide/aqueous electrolyte interphase (Jang et al.) 383
Chromium (III/II)–EDTA couple,
voltammetric study of the interaction of phosphate with the ——— (Meier) 177
Chronoamperometric response,
behavior of microdisk and microring electrodes. Prediction of the ——— of microdisks and of the steady state for CE and EC catalytic reactions by application of Neumann's integral theorem (Fleischmann et al.) 225
Complexation,
amalgam voltammetric approach to heavy metal speciation in natural waters. Part II. Experimental verification of theoretical aspects. A study of ——— with lead ions (Hannisdal, Schrøder) 23
Copper,
electrochemical behaviour of nitrobenzene and phenyl-hydroxylamine on ——— rotating disk electrodes (Cyr et al.) 49
Study of the underpotential deposition of ——— onto polycrystalline palladium surfaces (Szabó et al.) 137
Underpotential deposition of ——— incorporated into Nafion films cast on Au (111) surfaces (Adzic, Scherson) 421
Cyclic voltammetry
near-steady-state ——— at microelectrodes (Zoski et al.) 1

Differential normal pulse polarography,
study of reactant and product adsorption in double potential step and related pulse techniques. Part III. Differential pulse polarography (DPP) and ——— (DNPP) (Galvez et al.) 293

Differential pulse polarography,
study of reactant and product adsorption in double potential step and related pulse techniques. Part III. ——— (DPP) and differential normal pulse polarography (DNPP) (Galvez et al.) 293
Double potential step chronoamperometry,
study of reactant and product adsorption in double potential step and related pulse techniques. Part II. Normal pulse polarography (NPP), reverse pulse polarography (RPP) and ——— (Galvez, Park) 269

EC catalytic reactions,
behavior of microdisk and microring electrodes. Prediction of the chronoamperometric response of microdisks and of the steady state for CE and ——— by application of Neumann's integral theorem (Fleischmann et al.) 225
Electretic state,
spontaneous space charge formation in a hydrocarbon brought into contact with water containing ionogenic surfactants. The ——— of a liquid insulator (Boguslavsky, Gugeshashvili) 373
Electroactive film,
formation of a novel ——— by electropolymerization of *ortho*-aminophenol. Study of its chemical structure and formation mechanism. Electropolymerization of analogous compounds (Barbero et al.) 333
Electron diffusion,
microscopic model for diffusion of electrons by successive hopping among redox centers in networks (Fritsch-Faules, Faulkner) 237
Electron transfer,
fast heterogeneous ——— rates for glassy carbon electrodes without polishing or activation procedures (Rice et al.) 163

Formic acid,
electrocatalysis by ad-atoms. Part XXIV. Effect of arrangement of Bi ad-atoms on ——— oxidation (Shibata et al.) 97

Glassy carbon,
anodic oxidation of propylene carbonate on platinum, ——— and polypyrrole (Novák et al.) 37
Fast heterogeneous electron transfer rates for ——— electrodes without polishing or activation procedures (Rice et al.) 163

Gold,
underpotential deposition of copper incorporated into Nafion films cast on ——— (111) surfaces (Adzic, Scherson) 421
Graphite reinforcement carbon,
applicability of ——— used as the lead of a mechanical pencil to voltammetric electrodes (Aoki et al.) 323

Heavy metal,
amalgam voltammetric approach to ——— speciation in natural waters. Part II. Experimental verification of theoretical aspects. A study of complexation with lead ions (Hannisdal, Schrøder) 23
Hydrocarbon
spontaneous space charge formation in a ——— brought into contact with water containing ionogenic surfactants. The electretic state of a liquid insulator (Boguslavsky, Gugeshashvili) 373
5-Hydroxy-7-methyl-$\Delta^{4,9}$-isouric acid,
confirmation of ——— as an intermediate in the electrochemical oxidation of 7-methyluric acid (Subramanian et al.) 353

Ionogenic surfactants,
spontaneous space charge formation in a hydrocarbon brought into contact with water containing ———. The electretic state of a liquid insulator (Boguslavsky, Gugeshashvili) 373
Iron,
study of the deposition mechanism of neodymium on an ——— consumable cathode and a molybdenum unconsumable cathode in NaCl + KCl (1 : 1) in the temperature range 700–850 °C (Zing et al.) 399
Iron phthalocyanine,
electroreduction of nitrogen to ammonia on gas diffusion electrodes modified by ——— (Furuya, Yoshiba) 171

Lead ions,
amalgam voltammetric approach to heavy metal speciation in natural waters. Part II. Experimental verification of theortical aspects. A study of complexation with ——— (Hannisdal, Schrøder) 23
Liquid insulator,
spontaneous space charge formation in a hydrocarbon brought into contact with water containing ionogenic surfactants. The elec-

tretic state of a ——— (Boguslavsky, Gugeshashvili) 373

7-Methyluric acid
confirmation of 5-hydroxy-7-methyl-$\Delta^{4,9}$-isouric acid as an intermediate in the electrochemical oxidation of ——— (Subramanian et al.) 353

Methyl viologen,
in-situ FTIR study into the nature of completely reduced ——— (Christensen, Hamnett) 59

Microdisk electrodes,
behavior of ——— and microring electrodes. Application of Neumann's integral theorem to the prediction of the steady state response of microdisks (Fleischmann et al.) 189
Behavior of ——— and microring electrodes. Application of Neumann's integral theorem to the prediction of the steady state response of microdisks. Numerical illustrations (Daschbach et al.) 205
Behavior of ——— and microring electrodes. Prediction of the chronoamperometric response of microdisks and of the steady state for CE and EC catalytic reactions by application of Neumann's integral theorem (Fleischmann et al.) 225

Microelectrodes,
near-steady-state cyclic voltammetry at ——— (Zoski et al.) 1

Microring electrodes,
behavior of microdisk and ———. Application of Neumann's integral theorem to the prediction of the steady state response of microdisks (Fleischmann et al.) 189
Behavior of microdisk and ———. Application of Neumann's integral theorem to the prediction of the steady state response of microdisks. Numerical illustrations (Daschbach et al.) 205
Behavior of microdisk and ———. Prediction of the chronoamperometric response of microdisks and of the steady state for CE and EC catalytic reactions by application of Neumann's integral theorem (Fleischmann et al.) 225

Molybdenum,
study of the deposition mechanism of neodymium on an iron consumable cathode and a ——— unconsumable cathode in NaCl + KCl (1 : 1) in the temperature range 700–850 °C (Zing et al.) 399

Nafion,
underpotential deposition of copper incorporated into ——— films cast on Au (111) surfaces (Adzic, Scherson) 421

Near-steady-state cyclic voltammetry,
——— at microelectrodes (Zoski et al.) 1

Neodymium,
study of the deposition mechanism of ——— on an iron consumable cathode and a molybdenum unconsumable cathode in NaCl + KCl (1 : 1) in the temperature range 700–850 °C (Zing et al.) 399

Neumann's integral theorem,
behavior of microdisk and microring electrodes. Application of ——— to the prediction of the steady state response of microdisks (Fleischmann et al.) 189
Behavior of microdisk and microring electrodes. Application of ——— to the prediction of the steady state response of microdisks. Numerical illustrations (Daschbach et al.) 205
Behavior of microdisk and microring electrodes. Prediction of the chronoamperometric response of microdisks and of the steady state for CE and EC catalytic reactions by application of ——— (Fleischmann et al.) 225

Nickel oxide,
electrochemical characterization of in situ ——— formation in a molten carbonate (Nishina et al.) 87

Nitrobenzene,
detection of nitrosobenzene as an intermediate in the electrochemical reduction of ——— on Ag in a flow reactor (Shindo, Nishihara) 415
electrochemical behaviour of ——— and phenylhydroxylamine on copper rotating disk electrodes (Cyr et al.) 49

Nitrogen,
electroreduction of ——— to ammonia on gas diffusion electrodes modified by Fephthalocyanine (Furuya, Yoshiba) 171

Nitrosobenzene,
detection of ——— as an intermediate in the electrochemical reduction of nitrobenzene on Ag in a flow reactor (Shindo, Nishihara) 415

Normal pulse polarography,
study of reactant and product adsorption in double potential step and related pulse techniques. Part II. ——— (NPP), reverse pulse polarography (RPP) and double potential step chronoamperometry (Galvez, Park) 269

Palladium,
study of the underpotential deposition of copper onto polycrystalline ——— surfaces (Szabó et al.) 137
Phenylhydroxylamine,
electrochemical behaviour of nitrobenzene and ——— on copper rotating disk electrodes (Cyr et al.) 49
Phosphate,
voltammetric study of the interaction of ——— with the Cr(III/II)–EDTA couple (Meier) 177
Platinum,
anodic oxidation of propylene carbonate on ———, glassy carbon and polypyrrole (Novák et al.) 37
Electrochemical behaviour of the (110) orientation of a ——— surface in acid medium: the role of anions (Armand, Clavilier) 109
Poly(3-bromothiophene),
electrochemical synthesis of ——— (Li et al.) 155
Polypyrrole,
anodic oxidation of propylene carbonate on platinum, glassy carbon and ——— (Novák et al.) 37
Potassium chloride,
study of the deposition mechanism of neodymium on an iron consumable cathode and a molybdenum unconsumable cathode in NaCl + ——— (1 : 1) in the temperature range 700–850 °C (Zing et al.) 399
Propylene carbonate,
anodic oxidation of ——— on platinum, glassy carbon and polypyrrole (Novák et al.) 37
Pulse techniques,
study of reactant and product adsorption in double potential step and related ———. Part I. Theoretical treatment (Galvez, Park) 257
Study of reactant and product adsorption in double potential step and related ———. Part II. Normal pulse polarography (NPP), reverse pulse polarography (RPP) and double potential step chronoamperometry (Galvez, Park) 269
Study of reactant and product adsorption in double potential step and related ———. Part III. Differential pulse polarographic (DPP) and differential normal pulse polarography (DNPP) (Galvez et al.) 293
Reverse pulse polarography,
study of reactant and product adsorption in double potential step and related pulse techniques. Part II. Normal pulse polarography (NPP), ——— (RPP) and double potential step chronoamperometry (Galvez, Park) 269
$[Ru_3O(O_2CCH_3)_6(pyrazine)_3]$ cluster,
spectroelectrochemistry and cyclic voltammetry of the trinuclear ——— (Toma, Cipriano) 313
Ruthenium oxide,
charge storage and transport in thermal ——— thin films. In situ detection of local pH changes and asymmetries in charge–discharge cycles at the oxide/aqueous electrolyte interphase (Jang et al.) 383

Silver,
detection of nitrosobenzene as an intermediate in the electrochemical reduction of nitrobenzene on ——— in a flow reactor (Shindo, Nishihara) 415
Size ratio parameter,
thermodynamic method for the determination of the adsorbed layer thickness and the ——— (Nikitas) 147
Sodium chloride,
study of the deposition mechanism of neodymium on an iron consumable cathode and a molybdenum unconsumable cathode in ——— + KCl (1 : 1) in the temperature range 700–850 °C (Zing et al.) 399
Space charge formation,
spontaneous ——— in a hydrocarbon brought into contact with water containing ionogenic surfactants. The electretic state of a liquid insulator (Boguslavsky, Gugeshashvili) 373
Steady state,
behavior of microdisk and microring electrodes. Prediction of the chronoamperometric response of microdisks and of the ——— for CE and EC catalytic reactions by application of Neumann's integral theorem (Fleischmann et al.) 225
Steady state response,
behavior of microdisk and microring electrodes. Application of Neumann's integral theorem to the prediction of the ——— of microdisks (Fleischmann et al.) 189
Behavior of microdisk and microring electrodes. Application of Neumann's integral

theorem to the prediction of the ——— of microdisks. Numerical illustrations (Daschbach et al.) 205

Voltammetric electrodes,
applicability of graphite reinforcement carbon used as the lead of a mechanical pencil to ——— (Aoki et al.) 323

Zinc,
in-situ Raman spectroscopy applied to the study of the deposition and passivation of ——— in alkaline electrolytes (Hugot-Le Goff et al.) 127